

Prepared for:
Health Naturally

256 Copperdale Lane
Golden, CO USA 80403

CBD Bath Bomb

Batch ID or Lot Number: 020823A	Test: Potency	Reported: 17Feb2023	USDA License: N/A
Matrix: Unit	Test ID: T000234804	Started: 08Feb2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 08Feb2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.143	0.430	ND	ND	# of Servings = 1, Sample Weight=2.6g
Cannabichromenic Acid (CBCA)	0.131	0.393	ND	ND	
Cannabidiol (CBD)	0.407	1.229	54.130	20.80	
Cannabidiolic Acid (CBDA)	0.418	1.261	ND	ND	
Cannabidivarin (CBDV)	0.096	0.291	5.260	2.00	
Cannabidivarinic Acid (CBDVA)	0.174	0.526	ND	ND	
Cannabigerol (CBG)	0.081	0.244	0.820	0.30	
Cannabigerolic Acid (CBGA)	0.340	1.020	ND	ND	
Cannabinol (CBN)	0.106	0.318	ND	ND	
Cannabinolic Acid (CBNA)	0.232	0.696	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.405	1.215	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.368	1.104	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.326	0.978	ND	ND	
Tetrahydrocannabivarin (THCV)	0.074	0.222	2.620	1.00	
Tetrahydrocannabivarinic Acid (THCVA)	0.287	0.862	ND	ND	
Total Cannabinoids			62.830	24.10	
Total Potential THC			ND	ND	
Total Potential CBD			54.130	20.80	

Final Approval



Karen Winternheimer
17Feb2023
11:14:00 AM MST

PREPARED BY / DATE



Sam Smith
17Feb2023
11:15:00 AM MST

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/e0cfe29d-09c5-40b1-89f0-73e0d2e26bc1>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 A2LA Cert #: 4329.02 Chemical; 4329.03 Biological.



Cert #4329.02
e0cfe29d09c540b189f073e0d2e26bc1.1