

Prepared for:
Health Naturally

256 Copperdale Lane
Golden, CO USA 80403

Relief Bath Bomb

Batch ID or Lot Number: 012125C	Test: Potency	Reported: 27Jan2025	USDA License: N/A
Matrix: Concentrate	Test ID: T000297495	Started: 24Jan2025	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 23Jan2025	Status: N/A

Cannabinoids

	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.002	0.005	ND	ND	
Cannabichromenic Acid (CBCA)	0.001	0.005	ND	ND	
Cannabidiol (CBD)	0.005	0.014	0.030	0.30	
Cannabidiolic Acid (CBDA)	0.005	0.015	ND	ND	
Cannabidivarin (CBDV)	0.001	0.003	<LOQ	<LOQ	
Cannabidivarinic Acid (CBDVA)	0.002	0.006	ND	ND	
Cannabigerol (CBG)	0.001	0.003	ND	ND	
Cannabigerolic Acid (CBGA)	0.004	0.012	ND	ND	
Cannabinol (CBN)	0.001	0.004	ND	ND	
Cannabinolic Acid (CBNA)	0.003	0.008	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.005	0.015	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.004	0.013	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.004	0.012	ND	ND	
Tetrahydrocannabivarin (THCV)	0.001	0.003	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.003	0.011	ND	ND	
Total Cannabinoids			0.030	0.30	
Total Potential THC			ND	ND	
Total Potential CBD			0.030	0.30	

Final Approval



Sam Smith
27Jan2025
09:01:00 AM MST

PREPARED BY / DATE



Karen Winternheimer
27Jan2025
09:01:00 AM MST

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/e7f8ef2e-9e5c-429b-b8d4-5bf65ed38580>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 A2LA Cert #: 4329.02 Chemical; 4329.03 Biological.



Cert #4329.02
e7f8ef2e9e5c429bb8d45bf65ed38580.1