

Prepared for:
Health Naturally

256 Copperdale Lane
Golden, CO USA 80403

True Releaf Bath Bomb

Batch ID or Lot Number: 011624B	Test: Potency	Reported: 23Jan2024	USDA License: N/A
Matrix: Unit	Test ID: T000267955	Started: 19Jan2024	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 18Jan2024	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	3.168	8.848	ND	ND	# of Servings = 1, Sample Weight=160g
Cannabichromenic Acid (CBCA)	2.897	8.093	ND	ND	
Cannabidiol (CBD)	8.544	23.345	378.070	2.40	
Cannabidiolic Acid (CBDA)	8.763	23.944	ND	ND	
Cannabidivarin (CBDV)	2.021	5.521	37.540	0.20	
Cannabidivarinic Acid (CBDVA)	3.656	9.988	ND	ND	
Cannabigerol (CBG)	1.798	5.024	6.560	0.00	
Cannabigerolic Acid (CBGA)	7.518	21.001	ND	ND	
Cannabinol (CBN)	2.346	6.554	ND	ND	
Cannabinolic Acid (CBNA)	5.130	14.328	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	8.957	25.019	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	8.135	22.722	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	7.207	20.132	ND	ND	
Tetrahydrocannabivarin (THCV)	1.636	4.569	21.320	0.10	
Tetrahydrocannabivarinic Acid (THCVA)	6.357	17.757	ND	ND	
Total Cannabinoids			443.490	2.70	
Total Potential THC			ND	ND	
Total Potential CBD			378.070	2.40	

Final Approval



Karen Winternheimer
23Jan2024
11:30:00 AM MST

PREPARED BY / DATE



Sam Smith
23Jan2024
11:31:00 AM MST

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/f5041806-e7cd-4244-88f3-4bc0737e148a>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 A2LA Cert #: 4329.02 Chemical; 4329.03 Biological.



Cert #4329.02
f5041806e7cd424488f34bc0737e148a.1